

2023



2023

SEMI AUTOMATIC

Type	: Semi Automatic
Caliber	: 12 GA
Operating System	: Gas Operated or Inertia System
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5''(47cm), 20''(51cm), 22''(56cm) 28'' (71cm) : Contoured, Drilled from 4140 Steel, Chrome-Lined
Bolt Material	: 4140 Steel
Coating	: Black-Anodized or Cerakote
Mag Cap	: 4+1, 5+1, 6+1, 7+1
Stock	: Turkish Walnut , Polymer (Fixed - Telescopic or Foldable)
Forend	: Turkish Walnut , Polymer
Choke	: Fixed or Mobile
Weight	: 3,25 Kg Average



LUSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC



12 Gauge 3" Chamber

7075 T6 Aluminum Receiver,

5+1 Magazine Capacity

18.5" (47cm) Barrel Length

L4



CERAKOTE

LUSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC



12 Gauge 3" Chamber

4+1, 5+1, 6+1, 7+1 Magazine Capacity

LSA 201



**TRAUMATIC
OPTION**

12 Gauge 3" Chamber

Picatinny Rail - High Front Sight

LSA 202

ASK FOR THE DIFFERENT STOCK - FOREND OPTIONS

LUSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC



12 Gauge 3" Chamber

Mobile Choke Option

LSA 203



12 Gauge 3" Chamber

Mobile Choke Option

LSA 204

LUSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC



12 Gauge 3" Chamber

High Rib

Mobile Choke Option

LSA 206



Full Camo

Synthetic Stock

Mobile Choke Option

LSA 208

Licensed Camouflage Patterns



LUSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC

INERTIA SYSTEM



12 Gauge - 3" Chamber

4+1 Magazine Capacity

Mobile Choke Option

LSA 209



12 Gauge - 3" Chamber

4+1 Magazine Capacity

Mobile Choke Option

Camouflage and Cerakote Options

LSA 209 BC

Licensed Camouflage Patterns



LUSSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC

INERTIA SYSTEM



12 Gauge 3" Chamber

7075 T6 Aluminum Receiver,

Turkish Walnut Stock-Forend

LSA 209 WR



Contoured , Chrome-Lined Barrel, Drilled from 4140 Steel

4140 Steel Bolt - Inertia System

4+1 Magazine Capacity

LSA 209 W

LUSSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC

INERTIA SYSTEM



12 Gauge - 3" Chamber

7075 T6 Aluminum Receiver,

Polymer Stock-Forend

LSA 209 R FULL CAMO



Contoured , Chrome-Lined Barrel, Drilled from 4140 Steel

4140 Steel Bolt - Inertia System, 4+1 Magazine Capacity

Full or Semi Camouflage and Cerakote Color Options

LSA 209 R CAMO

LUSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC

INERTIA SYSTEM



12 GA - 3" Chamber

4+1 Magazine Capacity

Turkish Walnut

LSA 210

LUSSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC



12 Gauge 3" Chamber - Inertia Driven - Semi Automatic

7075 T6 Aluminum Receiver,

Ported, Contoured, Chrome-Lined Barrel Drilled from 4140 Steel

Turkish Walnut Stock-Forend With Polymer Receiver Connector

Cheek Rise and Palm Swell Option on Stock

10 mm or 7 mm Rib Option

PISTON-DRIVEN GAS SYSTEM



PORTED BARREL



LSA 211

INERTIA SYSTEM



LUSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC



12 Gauge - 4+1 Magazine Capacity

7075 T6 Aluminum Handguard

LSA 212



CERAKOTE

LUSSO

INTERNATIONAL ARMS COMPANY

SEMI AUTOMATIC



12 Gauge - 4+1 Magazine Capacity

7075 T6 Aluminum Trigger Guard

Turkish Walnut

mazzini



CERAKOTE

MAGAZINE FED

Type	: Magazine Fed - Semi-Automatic
Caliber	: 12 GA - 20 GA
Operating System	: Gas Operated
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5''(47cm), 20''(51cm), 22''(56cm), 28''(71cm) : Contoured, Drilled from 4140 Steel, Chrome Lined
Bolt Material	: 4140 Steel
Coating	: Black-Anodized , Cerakote, CAMO
Mag Cap	: 2+1, 5+1, 10+1
Stock	: Polymer (Fixed - Telescopic)
Forend	: Aluminum - Polymer
Choke	: Fixed or Mobile
Weight	: 3,75 Average



LUSO

INTERNATIONAL ARMS COMPANY

MAGAZINE FED



**TRAUMATIC
OPTION**

12 Gauge - 3" Chamber

5+1 or 10+1 Magazine Capacity

Polymer Lower Receiver - Hand Stop

Picatinny Cut Out Option on Magazines

LB 200



12 Gauge - 20 Gauge - 3" Chamber

5+1 or 10+1 Magazine Capacity

Polymer Lower Receiver - Hand Stop

Picatinny Cut Out Option on Magazines

LB 201

LUSO

INTERNATIONAL ARMS COMPANY

MAGAZINE FED



12 Gauge - 20 Gauge - 3" Chamber
5+1 or 10+1 Magazine Capacity
Polymer Lower Receiver - Hand Stop
Picatinny Cut Out Option on Magazines
Charging Handle at the Top

LB 202



**TRAUMATIC
OPTION**

12 Gauge - 3" Chamber
7075 T6 Aluminum Handguard
Camouflage and Cerakote Color Options
Picatinny Cut Out Option on Magazines

LSM 301

LUSSO

INTERNATIONAL ARMS COMPANY

MAGAZINE FED



**TRAUMATIC
OPTION**

12 Gauge 3" Chamber

7075 T6 Aluminum Forend

Polymer Lower Receiver

5+1, 10+1 Magazine Capacity

LSM 307



12 Gauge 3" Chamber

Polymer Forend - Lower Receiver

5+1, 10+1 Magazine Capacity

Carry Handle

LSM 308

ASK FOR THE DIFFERENT LOWER RECEIVER OPTIONS

LUSO

INTERNATIONAL ARMS COMPANY

MAGAZINE FED



12 Gauge 3" Chamber

7075 T6 Aluminum Upper and Lower Receiver

Front and Rear Flip Up Sights

5+1, 10+1 Magazine Capacity

LSM 309

ASK FOR THE DIFFERENT STOCK OPTIONS



CERAKOTE COLORS AND CAMO OPTIONS



CERAKOTE

LUSO

INTERNATIONAL ARMS COMPANY

MAGAZINE FED DUAL SYSTEM

SEMI AUTOMATIC
PUMP ACTION



12 Gauge 3" Chamber

Dual Operating System (Gas and Manual)

7075 T6 Aluminum Upper and Lower Receiver

5+1, 10+1 Magazine Capacity

LSM 310



CERAKOTE COLORS AND CAMO OPTIONS



CERAKOTE

LUSSO

INTERNATIONAL ARMS COMPANY



**ARMOR
BLACK**



**BLUE
TITANIUM**



**BRIGHT
PURPLE**




**BURNT
BRONZE**



**CRIMSON
RED**



**DESERT
SAND**



**DARK
EARTH**



OD GREEN



TUNGSTEN



TITANIUM



**ZOMBIE
GREEN**



**TACTICAL
GREY**

CERAKOTE

PUMP ACTION

Type	: Pump - Action
Caliber	: 12 GA
Operating System	: Pump Action
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5'' (47cm), 20''(51cm), 22'' (56cm), 28'' (71cm) : Contoured, Drilled from 4140 Steel, Chrome Lined
Bolt Material	: 4140 Steel
Coating	: Black-Anodized, Cerakote or CAMO
Mag Cap	: 4+1, 5+1, 6+1, 7+1
Stock	: Turkish Walnut , Polymer (Fixed - Telescopic or Foldable)
Forend	: Turkish Walnut , Polymer
Choke	: Fixed or Mobile
Weight	: 3,25 Kg Average



LUSO

INTERNATIONAL ARMS COMPANY

PUMP - ACTION



12 Gauge - 3" Chamber

Polymer Stock-Forend

Mobile Choke Option

LP 101



**TRAUMATIC
OPTION**

12 Gauge - 3" Chamber

Picatinny Rail - High Sight

Mobile Choke Option

LP 102

ASK FOR THE DIFFERENT STOCK - FOREND OPTIONS

LUSO

INTERNATIONAL ARMS COMPANY

PUMP - ACTION



12 Gauge - 3" Chamber

Polymer Stock-Forend

Marine Coating

LP 103



12 Gauge - 3" Chamber

4+1 to 7+1 Magazine Capacity

LP 104

ASK FOR THE DIFFERENT STOCK - FOREND OPTIONS

LUSO

INTERNATIONAL ARMS COMPANY

PUMP - ACTION



12 Gauge - 3" Chamber

18.5" (47cm) Barrel Length

4+1 Magazine Capacity

LP 105



12 Gauge - 3" Chamber

13.75" Barrel (35 CM)

LP 106

LUSO

INTERNATIONAL ARMS COMPANY

PUMP - ACTION



12 Gauge 3" Chamber

Steel Barrel Protection, Muzzle Break

Telescopic Stock

LP 107



12 Gauge 3" Chamber

Polimer Barrel Protection, Muzzle Break

LP 108

ASK FOR THE DIFFERENT STOCK - FOREND OPTIONS

LUSO

INTERNATIONAL ARMS COMPANY

PUMP - ACTION



12 Gauge - 3" Chamber

Cerakote Coated Barrel

Steel Barrel Protection

LP 109



12 Gauge - 3" Chamber

Picatinny Rail - High Front Sight

LP 110

ASK FOR THE DIFFERENT STOCK - FOREND OPTIONS

OVER AND UNDER REVOLVER SINGLE BARREL

Caliber / Gauge	: 12 GA, 36 GA
Receiver	: 4140 Steel or 7075 T6 Aluminum
Barrel	: 20''(51cm), 22'' (56cm), 28'' (71cm) : Chrome Lined, Contoured, Drilled from 4140 Steel
Ejection	: Auto
Engraving	: Lazer, Acid or Handmade
Coating	: Turkish Walnut , Polymer (Fixed - Telescopic or Foldable)
Stock	: Turkish Walnut - Palm Swell Option
Choke	: Mobile
Weight	: 3,25 Kg Average



LUSO

INTERNATIONAL ARMS COMPANY

OVER - UNDER



12 Gauge TRAP

4140 Steel Receiver,

Auto Ejector - Laser Engraving Option

Palm Swell Option

LOU 401



12 Gauge TRAP

4140 Steel Receiver

Adjustable Rib and stock

Palm Swell Option

LOU 401 Plus

LUSO

INTERNATIONAL ARMS COMPANY

OVER - UNDER



12 Gauge

4140 Steel Receiver,

Auto Ejector - Laser Engraving Option

LOU 403



ADJUSTABLE STOCK OPTION



BLACK OR WHITE RECEIVER COATING



12 Gauge

4140 Steel Receiver,

Auto Ejector - Laser Engraving Option

LOU 403 *Plus*

LUSO

INTERNATIONAL ARMS COMPANY

OVER - UNDER



12 Gauge - 36 Gauge

7075 Aluminum Receiver,

Auto Ejector Option

LOU 404



12 Gauge - 36 Gauge

7075 Aluminum Receiver,

Auto Ejector Option

LOU 405



LUSSO

INTERNATIONAL ARMS COMPANY

SIDE BY SIDE



36 Gauge

Steel Receiver

Manuel Ejection



LDB 36



12 Gauge

Steel Receiver

With Extractor



LDB 12

LUSO

INTERNATIONAL ARMS COMPANY

REVOLVER



36 Gauge - .410 Cal

4140 Steel Receiver,

5 Round

High Quality Turkish Walnut

LR 400

LUSO

INTERNATIONAL ARMS COMPANY

SINGLE BARREL



12 - 16 - 20 - 36 Gauge

7075 T6 Aluminum Receiver,

Polymer Stock-Forend

Rib Option

LSB 501



12 - 16 - 20 - 36 Gauge

7075 T6 Aluminum Receiver,

Walnut Stock-Forend

LSB 502

LUSSO

INTERNATIONAL ARMS COMPANY

PNEUMATIC



FENIX - T1

Caliber : 4.5 mm, 5.5 mm, 6.35 mm

Capacity : 250 Bar / 3600 Psi 500 cc

Barrel Length : 58 cm / 22.8 inch

Overall Length : 105 cm / 41.3 inch

Muzzle Velocity : Max. 1100 fps (335m/s)

Energy : 29J(.177) / 50J(.22) / 60J(.25)

Magazine Capacity : 14, 12, 10

Weight : 3.75 kg



FENIX - T2

Caliber : 4.5 mm, 5.5 mm, 6.35 mm

Capacity : 200 Bar / 3000 Psi 330cc

Barrel Length : 58 cm / 22.8 inch

Overall Length : 105 cm / 41.3 inch

Muzzle Velocity : Max. 1100 fps (335m/s)

Energy : 29J(.177) / 50J(.22) / 60J(.25)

Magazine Capacity : 14, 12, 10

Weight : 3.65 kg

LUSSO

INTERNATIONAL ARMS COMPANY

PNEUMATIC



FENIX - T3

Caliber : 4.5 mm, 5.5 mm, 6.35 mm

Capacity : 200 Bar / 3000 Psi 330cc

Barrel Length : 21" / 53.5 cm

Overall Length : 28.7" / 73 cm

Muzzle Velocity : Max. 1100 fps (335m/s)

Energy : 29J(.177) / 50J(.22) / 60J(.25)

Magazine Capacity : 14, 12, 10

Weight : 3.5 kg



LUSSO

INTERNATIONAL ARMS COMPANY

PNEUMATIC



4.5 mm .177cal - 5.5 mm .22cal - 6.35 mm .25cal
800 fps / 16.50 Jul - 550 fps / 16.50 Jul - 500 fps / 19 Jul
19" / 42.5 cm
2.70 kg / 5.95 Lbs

LS 600 AIR



LUSSO

INTERNATIONAL ARMS COMPANY

ACCESSORIES

STOCKS



HANDGUARDS AND GRIPS



ACCESSORIES





We fulfill internal and external customer expectations on time and within quality standards.

We ensure that our products comply with customer demands, national and international standards, and legal regulations and ensure their continuity

We are operating with 10+ CNC machines, follow technological developments and incorporate them in case of need,



LET'S GET IN TOUCH

PLEASE VISIT OUR WEBSITE TO CONNECT

